RF1105 Medium Base Synthetic Calcium Sulfonate

• Product Introduction

Medium Base Synthetic Calcium Sulfonate is one of the sulfonate salt series lubricant additives products we produce. It's mainly made from long-chain linear alkyl benzene sulfonic acid by means of neutralization and alkalization reaction. This is a main metal detergent, and boasts excellent acid neutralization capacity, anti-rust property and high-temperature detergency, thus it is widely used for different engine oils, meanwhile it can be used to blend rust preventing oil.

• Product Technical Index

Item	Index	Test Method
Density (20°℃), kg/m3	1000-1050	ASTM D4052
Kinematic Viscosity (100°C), mm2/s	20-30	ASTM D445
Flash Point (COC), ℃	≥180	ASTM D92
Total Base Number, mgKOH/g	145-185	ASTM D2896
Ca Content, m%	6.0-7.5	ASTM D4951
S Content, m%	1.4-2.0	ASTM D1552
Moisture, m%	≤0.2	ASTM D95
Mechanical Impurities, m%	≤0.1	ASTM D473

Package, Storage and Transportation

Packed in 200 liters iron drum or according to user's requirement. Transportation models by container or truck.

The maximum storage temperature shall not exceed 45° C.

This product is non-flammable, non-explosive, and non-corrosive, and it is same as petroleum products in terms of safety, environmental protection, use and other aspects, thus it needs no special protection.

The product is stored with a shelf life of 2 years, and it should avoid contact with strong antioxidant when use.

In case of accidental contact with skin, wash it off thoroughly with water and detergent.